



OPTIONAL FINISHES

- TIMBER
- STEEL




VELOX Rapid Edge™ UK00003507705 / Patent no: GB2600394 / Registered Design - Europe: 008214910 & UK: 90082149100001 | Above FFL | mm | Below FFL | mm | Quantity |

Agreed Sub-base Material: | Lateral Support:




REVISIONS			Drawn By	Linear metre	mm	STAGE	Product Modal Integrated Bench	Project: Website Download	 Logic Manufacture Bespoke™ 01642 373400 specification@logic-bespoke.com	Sheet No.	SIZE
REV.	AMENDMENTS/NOTE	DATE	PM								
P01	INITIAL ISSUE		Timber	2050mm x 80mm x 44mm (Option Dependent)					DWG. NO. Modal Integrated - Bench	2 of 6	A4
			Metal	3mm Steel							
			Finish								
TOLERANCE: All dimensions tolerance +/- 5mm			REV. P01	LOGIC MANUFACTURED BESPOKE™ ALL RIGHTS RESERVED							

Timber Disclaimer: All timbers lose a degree of tanning, some more than others. Timber in an external environment is susceptible to cracking, shelling and moving due to the natural drying process, this does not take away from the durability of the product. In time timber may develop surface discolouration, this is caused by natural mould feeding on the tannins and should disperse as the timber dries and turns silver. Logic are not liable for this natural process and can not be held responsible for any of these natural processes. All products to be installed in conjunction with the supplied installation guide, following the steps & guidance. All Logic products will bear some form of company branding.



OPTIONAL FINISHES

- TIMBER
- STEEL




VELOX Rapid Edge™ UK00003507705 / Patent no: GB2600394 / Registered Design - Europe: 008214910 & UK: 90082149100001 | Above FFL | mm | Below FFL | mm | Quantity |

Agreed Sub-base Material:

Lateral Support:




REVISIONS			Drawn By	Linear metre	mm	STAGE	Product Modal Integrated Bench Including Arms	Project: Website Download	
REV.	AMENDMENTS/NOTE	DATE	PM						
P01	INITIAL ISSUE		Timber	2050mm x 80mm x 44mm (Option Dependent)					Logic Manufacture Bespoke™ 01642 373400 specification@logic-bespoke.com
			Metal	3mm Steel					DWG. NO.
			Finish						Sheet No.
TOLERANCE: All dimensions tolerance +/- 5mm			REV. P01			LOGIC MANUFACTURED BESPOKE™ ALL RIGHTS RESERVED		Modal Integrated - Bench 3 of 6	
								SIZE	A4

Timber Disclaimer: All timbers lose a degree of tanning, some more than others. Timber in an external environment is susceptible to cracking, shelling and moving due to the natural drying process, this does not take away from the durability of the product. In time timber may develop surface discolouration, this is caused by natural mould feeding on the tannins and should disperse as the timber dries and turns silver. Logic are not liable for this natural process and can not be held responsible for any of these natural processes. All products to be installed in conjunction with the supplied installation guide, following the steps & guidance. All Logic products will bear some form of company branding.





OPTIONAL FINISHES

- TIMBER
- STEEL




VELOX Rapid Edge™ UK00003507705 / Patent no: GB2600394 / Registered Design - Europe: 008214910 & UK: 90082149100001				Above FFL	mm	Below FFL	mm	Quantity
---	--	--	--	-----------	----	-----------	----	----------

Agreed Sub-base Material:				Lateral Support:				
---------------------------	--	--	--	------------------	--	--	--	--




REVISIONS			Drawn By	Linear metre	mm	STAGE	Product Modal Integrated Seat No Arms	Project: Website Download	 Logic Manufacture Bespoke™ 01642 373400 specification@logic-bespoke.com	Sheet No.	SIZE
REV.	AMENDMENTS/NOTE	DATE	PM								
P01	INITIAL ISSUE		Timber	2050mm x 80mm x 44mm (Option Dependent)							
			Metal	3mm Steel							
			Finish								
TOLERANCE: All dimensions tolerance +/- 5mm			REV. P01	 LOGIC MANUFACTURED BESPOKE™ ALL RIGHTS RESERVED						4 of 6	A4

Timber Disclaimer: All timbers lose a degree of tanning, some more than others. Timber in an external environment is susceptible to cracking, shelling and moving due to the natural drying process, this does not take away from the durability of the product. In time timber may develop surface discolouration, this is caused by natural mould feeding on the tannins and should disperse as the timber dries and turns silver. Logic are not liable for this natural process and can not be held responsible for any of these natural processes. All products to be installed in conjunction with the supplied installation guide, following the steps & guidance. All Logic products will bear some form of company branding.



OPTIONAL FINISHES



- TIMBER
- STEEL



VELOX Rapid Edge™ UK00003507705 / Patent no: GB2600394 / Registered Design - Europe: 008214910 & UK: 90082149100001 | Above FFL | mm | Below FFL | mm | Quantity |

Agreed Sub-base Material:

Lateral Support:

REVISIONS			Drawn By	Linear metre	mm	STAGE	Product Modal Integrated Seat Including Arms	Project: Website Download	 Logic Manufacture Bespoke™ 01642 373400 specification@logic-bespoke.com	Sheet No.	SIZE
REV.	AMENDMENTS/NOTE	DATE	PM								
P01	INITIAL ISSUE		Timber	2050mm x 80mm x 44mm (Option Dependent)							
			Metal	3mm Steel							
			Finish								
TOLERANCE: All dimensions tolerance +/- 5mm			REV. P01	 LOGIC MANUFACTURED BESPOKE™ ALL RIGHTS RESERVED					DWG. NO.	5 of 6	A4

Timber Disclaimer: All timbers lose a degree of tanning, some more than others. Timber in an external environment is susceptible to cracking, shelling and moving due to the natural drying process, this does not take away from the durability of the product. In time timber may develop surface discolouration, this is caused by natural mould feeding on the tannins and should disperse as the timber dries and turns silver. Logic are not liable for this natural process and can not be held responsible for any of these natural processes. All products to be installed in conjunction with the supplied installation guide, following the steps & guidance. All Logic products will bear some form of company branding.