

Product Datasheet

**Swifter
Smarter
Safer**

Cove Screen

LOGIC[™]
MANUFACTURED BESPOKE


www.logic-bespoke.com

Design


The Cove Wind mitigation & privacy screen was inspired by the surge and force of our ocean's waves, created with adjustable heights that simulate this natural phenomenon.

Modules

Screen heights can be configured with various leg length to adapt to 1300mm, 2000mm, 2800mm, above FFL.




Pattern Design




Product: Cove Screen
Design: Straight

Product: Cove Screen
Design: Wave




Pattern Design



Product: Cove Screen
Design: Castle Wall

Bespoke heights are available, for more information on these please contact the Logic technical team.



Product Datasheet

Cove Screen

Finishes

Many finishes are available with this design, we've list below the three most popular. However, there are other specialist finishes available, for more information on these please contact the Logic technical team.

Powder Coated

Steel Type: Galvanised Mild Steel / Stainless Steel / Mild Steel, polyester powder coat finish.
Durability: High /Medium.
Surface Finish: Flat with semi-gloss finish.
Aesthetics: Complete range of RAL colours, specialist finishes available.
Country of Origin: Steel - United Kingdom , with some world wide content. PPC content - United Kingdom.



Stainless Steel

Steel Type: Stainless Steel, various grades.
Durability: High.
Surface Finish: Polished, bead blast or brushed.
Aesthetics: Polished very flat surface with almost mirror finish
Brushed flat surface with lightly engrained straight lines and a semi matt finish.
Country of Origin: United Kingdom, with some world. wide content.

Weathering Steel

Steel Type: Weathering Steel, grade A.
Durability: High.
Surface Finish: Flat with slight texture.
Aesthetics: Weathering Steel begins its life looking like ordinary Mild Steel. Over a period of time, due to the moisture levels in the atmosphere, the surface will oxidise turning an orangey brown colour, and eventually self seals. There is no defined period to this process as the moisture levels in the atmosphere fluctuate. Often there are colour variations between sections and also within each section.
Country of Origin: United Kingdom, with some world wide content.



Require assistance?

Call our specification team on 01642 373400

CONTACT

Email: specification@logic-bespoke.com

Phone: 01642 373400