

# Product Datasheet

---

## **Swifter** Smarter **Safer**

---

Modal  
Integrated Seating

**LOGIC**<sup>™</sup>  
MANUFACTURED BESPOKE

[www.logic-bespoke.com](http://www.logic-bespoke.com)



## Design

Featuring a simple floating design with minimalist timbers, this is a cost-effective seating option. Available in a straight configuration, backrest and armrest options included, and specie of timber to be chosen. Optional extra's include feature lighting designs.




## Modules

This design is available in all three of the standard seating lengths (1380mm, 1980mm, 2480mm). However custom lengths are available, for more information please contact Logic technical team.

## Height

Integrated seating can be configured with any height of planter edge from 450mm - 1100mm



\*Section shows fixing detail on Velox Rapid Edge, other options available.

## Configurations

This product style is available in straight modules, in both bench and seat configurations.

### Straight Module



### Bench Module



### Seat Module



## Product Datasheet

Modal Integrated Seating

### Finishes

Many finishes are available with this design, we've list below the three most popular. However, there are other specialist finishes available, for more information on these please contact the Logic technical team.

### Timber Species

#### Iroko

Material:	Iroko - Genus Milicia
Finish:	Natural
Durability:	Class 2
Country of Origin:	Africa
Forest Type:	Virgin Rain Forest




#### Douglas-Fir

Material:	Douglas-Fir - Pseudotsuga Menziesii
Finish:	Natural
Durability:	Class 3
Country of Origin:	United Kingdom
Forest Type:	Plantation

#### Oak

Material:	Oak - Quercus Robur
Finish:	Natural
Durability:	Class 2
Country of Origin:	United Kingdom
Forest Type:	Plantation / Secondary Growth




As wood is a natural grown material, there will be variations in colour, grain structure, knots and moisture content. This all creates the beauty of this versatile material. Some timbers have a greater or lesser concentration of naturally occuring Quertannic acids, please refer to the O&M manual for handling of such.

## Lighting

Whilst there is three lighting designs for planter edging, introducing integrated seating gives a fourth option.

## Bench









## Require assistance?

Call our specification team on 01642 373400

### CONTACT

**Email:** [specification@logic-bespoke.com](mailto:specification@logic-bespoke.com)

**Phone:** 01642 373400