

Product Datasheet

Swifter
Smarter
Safer

Union Seating

LOGIC[™]
MANUFACTURED BESPOKE

www.logic-bespoke.com

Product Datasheet


Union Seating

Design

The Union collection is designed to be the centrepiece of communities, encouraging people to meet, build connections and grow. Union means joining together which we thought this is a perfect name for this thickset, sturdy design. Logic are happy to advise on the most sustainable timber to use given the large timber sections.

Modules

Seating heights can be configured with any leg length to adapt to 450mm above FFL



Product Datasheet

Union Seating

Modules


This design is available in all four of the standard seating lengths (1380mm, 1980mm, 2380mm). However custom lengths are available, for more information please contact Logic technical team.



1380mm Length



1980mm Length



2380mm Length

Configurations

This product style is available in straight modules, in both bench and seat configurations.

Straight Module



Bench Module



Seating Module



Product Datasheet

Union Seating


Finishes

Many finishes are available with this design, we've list below the three most popular. However, there are other specialist finishes available, for more information on these please contact the Logic technical team.

Timber Species

Iroko

Material:	Iroko - Genus Milicia
Finish:	Natural
Durability:	Class 2
Country of Origin:	Africa
Forest Type:	Virgin Rain Forest



Douglas-Fir

Material:	Douglas-Fir - Pseudotsuga Menziesii
Finish:	Natural
Durability:	Class 3
Country of Origin:	United Kingdom
Forest Type:	Plantation

Oak

Material:	Oak - Quercus Robur
Finish:	Natural
Durability:	Class 2
Country of Origin:	United Kingdom
Forest Type:	Plantation / Secondary Growth



As wood is a natural grown material, there will be variations in colour, grain structure, knots and moisture content. This all creates the beauty of this versatile material. Some timbers have a greater or lesser concentration of naturally occurring Quertannic acids, please refer to the O&M manual for handling of such.



Require assistance?

Call our specification team on 01642 373400

CONTACT

Email: specification@logic-bespoke.com

Phone: 01642 373400