

Quantity: --

Agreed Sub-base Material: --

Lateral Support: --

REVISIONS			Drawn	SA	PM
REV	AMENDMENTS/ NOTE	DATE	Date	15/03/2023	--
-	-	--/--/--	Timber	Option Dependent	
-	-	--/--/--	Metal	3mm Mild Steel Galvanised	
-	-	--/--/--	Finish	Natural Timber	Weight -- KG
-	-	--/--/--	DO NOT SCALE DRAWINGS		

Product
Union Seat

Project:
--

LOGICTM
MANUFACTURED BESPOKE





Logic Manufacture BespokeTM
01642 373400 specification@logic-bespoke.com

DWG. NO.
XXXX-B029-A-004

REV
--

SIZE
A4

Timber Disclaimer: All timbers lose a degree of tanning, some more than others. Timber in an external environment is susceptible to cracking, shelling and moving due to the natural drying process, this does not take away from the durability of the product. In time timber may develop surface discolouration, this is caused by natural mould feeding on the tannins and should disperse as the timber dries and turns silver. Logic are not liable for this natural process and can not be held responsible for any of these natural processes. All products to be installed in conjunction with the supplied installation guide, following the steps & guidance. All Logic products will bear some form of company branding. VELOX Rapid EdgeTM UK00003507705 / Patent no:GB2600394 / Registered Design - Europe:008214910 & UK:90082149100001



Quantity: --

Agreed Sub-base Material: --

Lateral Support: --

REVISIONS			Drawn	SA	PM
REV	AMENDMENTS/ NOTE	DATE	Date	15/03/2023	
-	-	--/--/--	Timber	Option Dependent	
-	-	--/--/--	Metal	3mm Mild Steel Galvanised	
-	-	--/--/--	Finish	Natural Timber	Weight -- KG
-	-	--/--/--	DO NOT SCALE DRAWINGS LOGIC MANUFACTURED BESPOKE™ ALL RIGHTS RESERVED		

Product Union Seat
Project: --





LOGIC™
MANUFACTURED BESPOKE

Logic Manufacture Bespoke™
01642 373400 specification@logic-bespoke.com

DWG. NO. **XXXX-B029-A-005**

REV --	SIZE A4
------------------	-------------------

Timber Disclaimer: All timbers lose a degree of tanning, some more than others. Timber in an external environment is susceptible to cracking, shelling and moving due to the natural drying process, this does not take away from the durability of the product. In time timber may develop surface discolouration, this is caused by natural mould feeding on the tannins and should disperse as the timber dries and turns silver. Logic are not liable for this natural process and can not be held responsible for any of these natural processes. All products to be installed in conjunction with the supplied installation guide, following the steps & guidance. All Logic products will bear some form of company branding. VELOX Rapid Edge™ UK00003507705 / Patent no:GB2600394 / Registered Design - Europe:008214910 & UK:90082149100001



Quantity: --

Agreed Sub-base Material: --

Lateral Support: --

REVISIONS			Drawn	SA	PM
REV	AMENDMENTS/ NOTE	DATE	Date	15/03/2023	
-	-	--/--/--	Timber	Option Dependent	
-	-	--/--/--	Metal	3mm Mild Steel Galvanised	
-	-	--/--/--	Finish	Natural Timber	Weight -- KG
-	-	--/--/--			

Product
Union Seat

Project:
--

LOGICTM
MANUFACTURED BESPOKE

Logic Manufacture BespokeTM
01642 373400 specification@logic-bespoke.com

DWG. NO.
XXXX-B029-A-006

REV
--

SIZE
A4

Timber Disclaimer: All timbers lose a degree of tanning, some more than others. Timber in an external environment is susceptible to cracking, shelling and moving due to the natural drying process, this does not take away from the durability of the product. In time timber may develop surface discolouration, this is caused by natural mould feeding on the tannins and should disperse as the timber dries and turns silver. Logic are not liable for this natural process and can not be held responsible for any of these natural processes. All products to be installed in conjunction with the supplied installation guide, following the steps & guidance. All Logic products will bear some form of company branding. VELOX Rapid EdgeTM UK00003507705 / Patent no:GB2600394 / Registered Design - Europe:008214910 & UK:90082149100001